

e-mail info@akemi.de

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>Duro Impregnator</u>

· Article number: 12047, 12048, 12058, 12014, 12103

· UFI: QS48-KQT6-R31D-N040

1.2 Relevant identified uses of the substance or mixture and

uses advised againstNo further relevant information available.

· Application of the substance / the

<u>mixture</u> Protective impregnation

· 1.3 Details of the supplier of the safety data sheet

• <u>Manufacturer/Supplier:</u> AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 Lechstrasse 28 Fax. +49(0)911-644456

Lechstrasse 28 D 90451 Nürnberg

· Further information obtainable

<u>from:</u> Laboratory

1.4 Emergency telephone

<u>number:</u> Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 Flam. Lig. 3 H226 Flammable liquid and vapour.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.







GHS02 GHS08 GHS09

· Signal word Danger

· Hazard-determining components of

labelling: 2,2,4,6,6-pentamethylheptan

Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics

Hazard statements H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P260 Do not breathe mist/vapours/spray. P273 Avoid release to the environment.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)



Page 2/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 1)

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

· Additional information: EUH066 Repeated exposure may cause skin dryness or cracking.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.√PvB: Not applicable.

· Determination of endocrine-

disrupting properties For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· <u>Description:</u> Mixture: consisting of the following components.

· Dangerous components:		
CAS: 13475-82-6 EINECS: 236-757-0 Reg.nr.: 01-2119490725-29	2,2,4,6,6-pentamethylheptan Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 4, H413 EUH066	25-50%
EC number: 923-037-2 Reg.nr.: 01-2119471991-29-xxx	Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	25-50%
CAS: 78-10-4 EINECS: 201-083-8 Index number: 014-005-00-0 Reg.nr.: 01-2119496195-28	tetraethyl silicate Flam. Liq. 3, H226 Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335	<1%
CAS: 3648-18-8 EINECS: 222-883-3 Index number: 050-031-00-9 Reg.nr.: 01-2119979527-19-000	dioctyltin dilaurate Repr. 1B, H360D; STOT RE 1, H372	<1%

·SVHC

3648-18-8 dioctyltin dilaurate

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• General information: Take affected persons out into the fresh air.

Position and transport stably in side position.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and

delayed Headache

Dizziness Dizziness

(Contd. on page 3)



(Contd. of page 2)

Page 3/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

Nausea

Breathing difficulty

Coughing Profuse sweating

Danger of impaired breathing. Hazards

· 4.3 Indication of any immediate medical attention and special

treatment needed If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

· For safety reasons unsuitable

extinguishing agents:

Water Water with full jet

5.2 Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

Wear self-contained respiratory protective device. · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents See Section 7 for information on safe handling.

· 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Page 4/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than

air).

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

<u>storerooms and receptacles:</u> Store only in the original receptacle.

Prevent any seepage into the ground.

Information about storage in one

common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

· Further information about storage

conditions:

Store receptacle in a well ventilated area.

Store in a cool place. Protect from frost.

Keep container tightly sealed.

12.1 mg/kg bw/day (ARB)

25 mg/m³ Air (BEV)

· Storage class:

3

• **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

78-10-4 tetraethyl silicate

IOELV Long-term value: 44 mg/m³, 5 ppm

· DNELs

78-10-4 tetraethyl silicate

Dermal DNEL (Kurzzeit-akut)

		8.4 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	
		8.4 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	85 mg/m³ Air (ARB)
		25 mg/m³ Air (BEV)
	DNEL (Langzeit-wiederholt)	85 mg/m³ Air (ARB)

3648-18-8 dioctyltin dilaurate

	=	
Oral	DNEL (Langzeit-wiederholt)	0.0005 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	0.0035 mg/m³ Air (ARB)
		0.0009 mg/m³ Air (BEV)

(Contd. on page 5)



Page 5/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

		(Contd. of page 4)
· PNEC	<u>s</u>]
78-10	-4 tetraeth	yl silicate	1
PNEC	(wässrig)	4,000 mg/l (KA)	1
		0.0192 mg/l (MW)	
		0.192 mg/l (SW)	
		10 mg/l (WAS)	
PNEC	(fest)	0.05 mg/kg Trockengew (BO)	
		0.018-0.083 mg/kg Trockengew (MWS)	
		0.18-0.83 mg/kg Trockengew (SWS)	
3648-	18-8 diocty	yltin dilaurate	1
PNEC	(wässrig)	100 mg/l (KA)	1
		0.0000018 mg/l (MW)	
		0.0000018 mg/l (SW)	
PNEC	(fest)	0.005593 mg/kg Trockengew (BO)	
		0.02798 mg/kg Trockengew (MWS)	
		0.02798 mg/kg Trockengew (SWS)	

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

Hand protection

Appropriate engineering controls
 Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures: Do not eat, drink, smoke or sniff while working.

Apply solvent resistant skin cream before starting work.

Use skin protection cream for skin protection. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

· Respiratory protection: Filter AX

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of

protective gloves:

STOKODERM (http://www.stoko.com)

Skin protection agent recommendation for preventive skin shelter in application

and combination of protective gloves: STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL

GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).

(Contd. on page 6)



Page 6/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for

the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

· Material of gloves Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

· Penetration time of glove material Value for the permeation: Level ≤ 6; 480 min

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

 For the permanent contact gloves made of the following materials are

suitable:

Fluorocarbon rubber (Viton) Vitoject (KCL, Art_No. 890)

Nitrile rubber, NBR

Camatril (KCL, Art No. 730, 731, 732, 733)

· As protection from splashes gloves made of the following materials are

suitable:

Fluorocarbon rubber (Viton) Vitoject (KCL, Art_No. 890)

Nitrile rubber, NBR

Camatril (KCL, 730, 731, 732, 733)

· Not suitable are gloves made of

the following materials:

Natural rubber, NR Rubber gloves Leather gloves Strong material gloves

Neoprene gloves

· Eye/face protection

Tightly sealed goggles

43 °C

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Flash point:

· Colour: Colourless · Odour: Specific type · Odour threshold: Not determined.

· Melting point/freezing point: Undetermined. 173 °C

· Boiling point or initial boiling point and boiling range

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper:

· Decomposition temperature: Not determined.

(Contd. on page 7)



Page 7/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 6)

Not determined. · pH

Not applicable

· Viscosity:

· Kinematic viscosity · Dynamic:

Not determined. Not determined.

· Solubility

· water:

Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value)

Not determined.

· Vapour pressure:

Not determined.

· Density and/or relative density Density at 20 °C:

0.76 g/cm³

Relative density · Vapour density

Not determined. Not determined.

· 9.2 Other information

· Appearance:

· Form:

Fluid

· Important information on protection of health and

environment, and on safety.

Ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

· Solvent content:

· Organic solvents:

91.7 %

· Change in condition · Evaporation rate

Not determined.

· Information with regard to physical hazard classes

· Explosives · Flammable gases Void Void

· Aerosols Oxidising gases Void Void

· Gases under pressure

Void

· Flammable liquids

Flammable liquid and vapour.

· Flammable solids

Void Void

· Self-reactive substances and mixtures Pyrophoric liquids

Void

Pyrophoric solids

Void Void

· Self-heating substances and mixtures

· Substances and mixtures, which emit flammable gases in contact with water

Void Void

· Oxidising liquids · Oxidising solids

Void Void

· Organic peroxides · Corrosive to metals Desensitised explosives

Void Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous

reactions Reacts with strong oxidising agents.

Forms flammable gases/fumes.

 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 8)



Page 8/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 7)

· 10.5 Incompatible materials:

No further relevant information available.

· 10.6 Hazardous decomposition

Carbon monoxide and carbon dioxide products:

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met

· Acute toxic	CILY	based on available data, the classification chiena are not met.
· LD/LC50 v	/alues relev	vant for classification:
13475-82-	6 2,2,4,6,6	-pentamethylheptan
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	2,200-2,500 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/8h	>5 ppm (rat)
	LC50/48h	>3,193 mg/l (daphnia magna) (ISO 14559)
Hydrocarl	bons, C10	-C12, Isoalkanes, <2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/8h	>5 mg/l (rat)
	LC50/48h	>1,000 mg/l (daphnia magna) (OECD 202)
78-10-4 te	traethyl si	licate
Oral	LD50	>2,500 mg/kg (rat)
	NOAEL	10 mg/kg (rat)
Inhalative	LC50/4 h	10-16.8 mg/l (rat)
3648-18-8	dioctyltin	dilaurate
Oral	LD50	6,450 mg/kg (rat)
D	1 5 5 6	0.000

Oral	LD50	6,450 mg/kg (
Dermal	LD50	>2 000 ma/ka

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Serious eye damage/irritation · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · STOT-single exposure · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard May be fatal if swallowed and enters airways.

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

	Λ	4! .	4	
٠	AΠ	uatic	TOVI	CIT//

13475-82-6 2,2,4,6,6-pentamethylheptan

IC50/72h >1,000 mg/l (Pseudokirchneriella subcapitata)

EC50/48h >1,000 mg/l (daphnia magna)

NOELR/72h 1,000 mg/l (Pseudokirchneriella subcapitata) (OECD201)

NOELR/21d 0.02 mg/l (daphnia magna) (OECD 211)

(Contd. on page 9)



Page 9/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Conta, or bade o		(Contd.	of	page	8
-------------------	--	---------	----	------	---

		onia. oi page 8)
NOELR/28d	0.267 mg/l (Oncorhynchus mykiss) ((Q)SAR)	
EC50/72h	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
LC50/96h	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)	
Hydrocarbo	ns, C10-C12, Isoalkanes, <2% aromatics	
EL0/48h	1,000 mg/l (daphnia magna)	
EL0/72h	1,000 mg/l (Pseudokirchneriella subcapitata)	
LL0/96h	1,000 mg/l (Oncorhynchus mykiss)	
NOELR/72h	1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
NOELR/21d	<1 mg/l (daphnia magna) (OECD 211)	
NOELR/28d	0.192 mg/l (Oncorhynchus mykiss) ((Q)SAR)	
EC50/72h	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
LC50/96h	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)	

78-10-4 tetraethyl silicate

EC50	>100 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)
EC50/48h	>75 mg/l (daphnia magna)

>100 mg/l (Pseudokirchneriella subcapitata) EC50/72h

LC50/96h >245 mg/l (Danio rerio.)

· 12.2 Persistence and

degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

Toxic for fish · Remark:

· Additional ecological information:

Also poisonous for fish and plankton in water bodies. · General notes:

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Must not be disposed together with household garbage. Do not allow product to Recommendation

reach sewage system.

· Uncleaned packaging:

· Recommendation: Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

· Recommended cleansing agents: Alcohol

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN3295

(Contd. on page 10)



Page 10/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator (Contd. of page 9) · 14.2 UN proper shipping name 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-· ADR C12, Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan), **ENVIRONMENTALLY HAZARDOUS** ·IMDG HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan), MARINE POLLUTANT HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-C12, ·IATA Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan) 14.3 Transport hazard class(es) · ADR 3 (F1) Flammable liquids. Class · Label ·IMDG · Class 3 Flammable liquids. ·Label IATA · Class 3 Flammable liquids. · Label · 14.4 Packing group · ADR, IMDG, IATA · 14.5 Environmental hazards: Product contains environmentally hazardous substances: · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): F-E,S-D · EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · Limited quantities (LQ)

(Contd. on page 11)



Page 11/12

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 10)

· Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category

· Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3295 HYDROCARBONS, LIQUID, N.O.S

(HYDROCARBONS, C10-C12, ISOALKANES, <2% AROMATICS, 2,2,4,6,6-PENTAMETHYLHEPTAN), 3, III,

ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

None of the ingredients is listed. ANNEX I

· Seveso category E2 Hazardous to the Aquatic Environment

500 t

P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the

application of lower-tier

requirements 200 t

Qualifying quantity (tonnes) for the

application of upper-tier

requirements · REGULATION (EC) No 1907/2006

Conditions of restriction: 3, 20 ANNEX XVII

· Regulation (EU) No 649/2012

3648-18-8 dioctyltin dilaurate

Annex I Part 1

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 12)





Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.05.2024 Version number 4 (replaces version 3) Revision: 07.05.2024

Trade name: Duro Impregnator

(Contd. of page 11)

· National regulations:

· Information about limitation of use: Employment restrictions concerning pregnant and lactating women must be

observed.

Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

3648-18-8 dioctyltin dilaurate

· VOC EU 696.8 g/l

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Department issuing SDS:
 Date of previous version:
 Laboratory
 11.01.2024

· Version number of previous

version:

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

EU